Contents

VOLUME 15 NUMBER 1

MicroReviews

1 **Evolution of the chaperonin families (Hsp60, Hsp10 and Tcp-1) of proteins and the origin of eukaryotic cells**
R. S. Gupta

13 **Bacterial transposases and retroviral integrases**
P. Polard & M. Chandler

Research Articles

25 **Functional analysis of the *Salmonella typhimurium* invasion genes *invI* and *invJ* and identification of a target of the protein secretion apparatus encoded in the *inv* locus**
C. M. Collazo, M. K. Zierler & J. E. Galán

39 ***Candida albicans* ALS1: domains related to a *Saccharomyces cerevisiae* sexual agglutinin separated by a repeating motif**
L. L. Hoyer, S. Scherer, A. R. Shatzman & G. P. Livi

55 **A small gene, designated *comS*, located within the coding region of the fourth amino acid-activation domain of *srfA*, is required for competence development in *Bacillus subtilis***
L. W. Hamoen, H. Eshuis, J. Jongbloed, G. Venema & D. van Sinderen

65 **Molecular characterization of an *Aeromonas salmonicida* mutant with altered surface morphology and increased systemic virulence**
B. Noonan & T. J. Trust

77 **Evidence that surface fibrils expressed by *Haemophilus influenzae* type b promote attachment to human epithelial cells**
Joseph W. St. Geme, III & David Cutter

87 **A histidine decarboxylase gene encoded by the *Vibrio anguillarum* plasmid pJM1 is essential for virulence: histamine is a precursor in the biosynthesis of anguibactin**
M. E. Tolmasky, L. A. Actis & J. H. Crosa

97 **Nucleotide sequence and mutational analysis indicate that two *Helicobacter pylori* genes encode a P-type ATPase and a cation-binding protein associated with copper transport**
Z. Ge, K. Hiratsuka & D. E. Taylor

107 **Region II of the *Haemophilus influenzae* Type b capsulation locus is involved in serotype-specific polysaccharide synthesis**
J. Van Eldere, L. Brophy, B. Loynds, P. Celis, I. Hancock, S. Carman, J. S. Kroll & E. R. Moxon

119 **Regulation of citrate-dependent iron transport of *Escherichia coli*: FecR is required for transcription activation by FecI**
M. Ochs, S. Veitinger, I. Kim, D. Welz, A. Angerer & V. Braun

133 **Reinitiation kinetics in eight *dnaA*(Ts) mutants of *Escherichia coli*: rifampicin-resistant initiation of chromosome replication**
F. G. Hansen

141 **Reversibility of DnaA protein activity in the 'irreversible' *dnaA204* mutant of *Escherichia coli***
F. G. Hansen & T. Atlung

149 **Initiation of chromosome replication after induction of DnaA protein synthesis in a *dnaA*(null) *rnh* mutant of *Escherichia coli***
F. G. Hansen & T. Atlung

155 **The *hrpRS* locus of *Pseudomonas syringae* pv. *phaseolicola* constitutes a complex regulatory unit**
C. Grimm, W. Aufsatz & N. J. Panopoulos

167 **Activation and repression of the yeast *ARO3* gene by global transcription factors**
M. Künzler, C. Springer & G. H. Braus

179 **Plasmid evolution by acquisiton of mobile gene cassettes: plasmid pIE723 contains the *aadB* gene cassette precisely inserted at a secondary site in the IncQ plasmid RSF1010**
G. D. Recchia & R. M. Hall

Obituary

189 **In memoriam: Yasuo Imae, 1940–1993**
I. Kawagishi

VOLUME 15 NUMBER 2

Research Articles

191 **Virulence studies on chromosomal α-toxin and θ-toxin mutants constructed by allelic exchange provide genetic evidence for the essential role of α-toxin in *Clostridium perfringens*-mediated gas gangrene**
M. M. Awad, A. E. Bryant, D. L. Stevens & J. I. Rood

203 **Expression of the ATP-dependent deoxyribonuclease of *Bacillus subtilis* is under competence-mediated control**
B. J. Haijema, L. W. Hamoen, J. Kooistra, G. Venema & D. van Sinderen

213 **Differential expression of two closely related deoxyribonuclease genes, *nucA* and *nucB*, in *Bacillus subtilis***
D. van Sinderen, R. Kiewiet & G. Venema

225 **A recognition component of the ubiquitin system is required for peptide transport in *Saccharomyces cerevisiae***
K. Algramam, F. Naider & J. M. Becker

235 **Missense mutations in the catalase-peroxidase gene, *katG*, are associated with isoniazid resistance in *Mycobacterium tuberculosis***
B. Heym, P. M. Alzari, N. Honoré & S. T. Cole

247 **The *pho* regulon of *Shigella flexneri***
M. Scholten, R. Janssen, C. Bogaarts, J. van Strien & J. Tommassen

255 **Evidence for a ppGpp-binding site on *Escherichia coli* RNA polymerase: proximity relationship with the rifampicin-binding domain**
P. S. Reddy, A. Raghavan & D. Chatterji

267 **Gonococcal *rfaF* mutants express Rd_2 chemotype LPS and do not enter epithelial host cells**
E. T. Schwan, B. D. Robertson, H. Brade & J. P. M. van Putten

277 **Construction of recombinant neisserial Hsp60 proteins and mapping of antigenic domains**
Y. Pannekoek, J. Dankert & J. P. M. van Putten

287 **A checkpoint involving RTP, the replication terminator protein, arrests replication downstream of the origin during the Stringent Response in *Bacillus subtilis***
A. Levine, S. Autret & S. J. Séror

297 **Iron-responsive gene expression in *Pseudomonas fluorescens* M114: cloning and characterization of a transcription-activating factor, PbrA**
R. Sexton, P. R. Gill, Jr, M. J. Callanan, D. J. O'Sullivan, David N. Dowling & F. O'Gara

307 **Cloning and sequence analysis of *cycH* gene from *Paracoccus denitrificans*: the *cycH* gene product is required for assembly of all *c*-type cytochromes, including cytochrome c_1**
M. D. Page & S. J. Ferguson

319 **Sequence analysis of subunits of the membrane-bound nitrate reductase from a denitrifying bacterium: the integral membrane subunit provides a prototype for the dihaem electron-carrying arm of a redox loop**
B. C. Berks, M. D. Page, D. J. Richardson, A. Reilly, A. Cavill, F. Outen & S. J. Ferguson

333 **Coevolution of RNA helix stability and Shine–Dalgarno complementarity in a translational start region**
R. C. L. Olsthoorn, S. Zoog & J. van Duin

341 **Cold-shock induction of a family of TIP1-related proteins associated with the membrane in *Saccharomyces cerevisiae***
L. R. Z. Kowalski, K. Kondo & M. Inouye

355 **Characterization of RNA polymerase and two sigma-factor genes from *Mycobacterium smegmatis***
M. Predich, L. Doukhan, G. Nair & I. Smith

367 **The *recA* gene of *Streptococcus pneumoniae* is part of a competence-induced operon and controls lysogenic induction**
B. Martin, P. García, M.-P. Castanié & J.-P. Claverys

381 **Structure–function analysis of the vitamin B_{12} receptor of *Escherichia coli* by means of informational suppression**
S. E. Hufton, R. J. Ward, N. A. C. Bunce, J. T. Armstrong, A. J. P. Fletcher & R. E. Glass

VOLUME 15 NUMBER 3

MicroReviews

395 **Catabolite repression in *Bacillus subtilis*: a global regulatory mechanism for the Gram-positive bacteria?**
C. J. Hueck & W. Hillen

403 **Alkaliphiles: 'basic' molecular problems of pH tolerance and bioenergetics**
T. A. Krulwich

411 **Regulation of gene expression by *trans*-encoded antisense RNAs**
N. Delihas

415 **Phage-exclusion enzymes: a bonanza of biochemical and cell biology reagents?**
L. Snyder

Research Articles

421 **Isolation and analysis of mutants of the *dnaK* operon of *Bacillus subtilis***
A. Schulz, B. Tzschaschel & W. Schumann

431 **Identification of a novel cellulose-binding domain within the multidomain 120 kDa xylanase XynA of the hyperthermophilic bacterium *Thermotoga maritima***
C. Winterhalter, P. Heinrich, A. Candussio, G. Wich & W. Liebl

445 **Induction of phospholipase- and flagellar synthesis in *Serratia liquefaciens* is controlled by expression of the flagellar master operon *flhD***
M. Givskov, L. Eberl, G. Christiansen, M. J. Benedik & S. Molin

455 ***comK* encodes the competence transcription factor, the key regulatory protein for competence development in *Bacillus subtilis***
D. van Sinderen, A. Luttinger, L. Kong, D. Dubnau, G. Venema & L. Hamoen

463 ***Plasmodium falciparum* protein associated with the invasion junction contains a conserved oxidoreductase domain**
D. E. Hudson-Taylor, S. A. Dolan, F. W. Klotz, H. Fujioka, M. Aikawa, E. V. Koonin & L. H. Miller

473 **Regulation of succinate dehydrogenase (*sdhCDAB*) operon expression in *Escherichia coli* in response to carbon supply and anaerobiosis: role of ArcA and Fnr**
S.-J. Park, C.-P. Tseng & R. P. Gunsalus

483 **Genetic suppression and phenotypic masking of a *Myxococcus xanthus frzF*$^-$ defect**
K. Kashefi & P. L. Hartzell

495 **Comparative characterization of the *iga* gene encoding IgA1 protease in *Neisseria meningitidis*, *Neisseria gonorrhoeae* and *Haemophilus influenzae***
H. Lomholt, K. Poulsen & M. Kilian

507 **Overexpression of the *Shigella flexneri* genes coding for DNA topoisomerase IV compensates for loss of DNA topoisomerase I: effect on virulence gene expression**
E. McNairn, N. Ní Bhriain & C. J. Dorman

519 **Purification, characterization and mode of action of PdhR, the transcriptional repressor of the *pdhR–aceEF–lpd* operon of *Escherichia coli***
M. A. Quail & J. R. Guest

531 **The *Neisseria meningitidis* haemoglobin receptor: its role in iron utilization and virulence**
I. Stojiljkovic, V. Hwa, L. de Saint Martin, P. O'Gaora, X. Nassif, F. Heffron & M. So

543 **ComC is required for the processing and translocation of ComGC, a pilin-like competence protein of *Bacillus subtilis***
Y. S. Chung & D. Dubnau

553 **AmpD, essential for both β-lactamase regulation and cell wall recycling, is a novel cytosolic *N*-acetylmuramyl-L-alanine amidase**
C. Jacobs, B. Joris, M. Jamin, K. Klarsov, J. Van Beeumen, D. Mengin-Lecreulx, J. van Heijenoort, J. T. Park, S. Normark & J.-M. Frère

561 **Identification of cellular proteins involved in nikkomycin production in *Streptomyces tendae* Tü901**
V. Möhrle, U. Roos & C. Bormann

573 **Identification of phosphoproteins in *Escherichia coli***
P. Freestone, S. Grant, I. Toth & V. Norris

581 **Group B streptococci adhere to a variant of fibronectin attached to a solid phase**
G. S. Tamura & C. E. Rubens

MicroCorrespondence

591 **Homologies between salmolysin and some bacterial regulatory proteins**
P. Dehoux & P. Cossart

592 **Na^+-driven flagellar motors as a likely Na^+ re-entry pathway in alkaliphilic bacteria**
S. Sugiyama

VOLUME 15 NUMBER 4

MicroReviews

593 **Mobile gene cassettes and integrons: capture and spread of genes by site-specific recombination**
R. M. Hall & C. M. Collis

601 **The twisted 'life' of DNA in the cell: bacterial toposomerases**
A. Luttinger

607 **Chlamydial envelope components and pathogen–host cell interactions**
J. E. Raulston

Research Articles

617 **Cloning and characterization of a *Chlamydia psittaci* gene coding for a protein localized in the inclusion membrane of infected cells**
D. D. Rockey, R. A. Heinzen & T. Hackstadt

627 **Structural identification of the lipo-chitin oligosaccharide nodulation signals of *Rhizobium loti***
I. M. López-Lara, J. D. J. van den Berg, J. E. Thomas-Oates, J. Glushka, B. J. J. Lugtenberg & H. P. Spaink

639 **The enterotoxin gene (*cpe*) of *Clostridium perfringens* can be chromosomal or plasmid-borne**
E. Cornillot, B. Saint-Joanis, G. Daube, S. Katayama, P. E. Granum, B. Canard & S. T. Cole

649 **The bacteriophage T4 middle promoter P_{uvsX}: analysis of regions important for binding of the T4 transcriptional activator MotA and for activation of transcription**
R. March-Amegadzie & D. M. Hinton

661 **Protective antigen-binding domain of anthrax lethal factor mediates translocation of a heterologous protein fused to its amino- or carboxy-terminus**
J. C. Milne, S. R. Blanke, P. C. Hanna & R. J. Collier

667 **Phosphorylation and functional analysis of PilA, a protein involved in the transcriptional regulation of the pilin gene in *Neisseria gonorrhoeae***
M.-K. Taha & D. Giorgini

679 **Localization of the start sites of lagging-strand replication of rolling-circle plasmids from Gram-positive bacteria**
L. A. Dempsey, A. C. Zhao & S. A. Khan

689 **A gene required for nutritional repression of the *Bacillus subtilis* dipeptide permease operon**
F. J. Slack, P. Serror, E. Joyce & A. L. Sonenshein

703 **The *Pseudomonas aeruginosa pilK* gene encodes a chemotactic methyltransferase (CheR) homologue that is translationally regulated**
A. Darzins

719 **Analysis of *Vibrio cholerae* ToxR function by construction of novel fusion proteins**
K. M. Ottemann & J. J. Mekalanos

733 **NolR controls expression of the *Rhizobium meliloti* nodulation genes involved in the core Nod factor synthesis**
M. Cren, A. Kondorosi & E. Kondorosi

749 **A 40 kb chromosomal fragment encoding *Salmonella typhimurium* invasion genes is absent from the corresponding region of the *Escherichia coli* K-12 chromosome**
D. M. Mills, V. Bajaj & C. A. Lee

761 **Requirement for FlhA in flagella assembly and swarm-cell differentiation by *Proteus mirabilis***
D. Gygi, M. J. Bailey, C. Allison & C. Hughes

771 **Topological analyses of the L-fucose-H^+ symport protein, FucP, from *Escherichia coli***
F. J. Gunn, C. G. Tate, C. E. Sansom & P. J. F. Henderson

MicroCorrespondence

785 **Hypotheses and the regulation of the bacterial cell cycle**
V. Norris

VOLUME 15 NUMBER 5

MicroReview

789 **On microbial states of growth**
I. Fishov, A. Zaritsky & N. B. Grover

Research Articles

795 **Characterization of the *Zymomonas mobilis* glucose facilitator gene product (*glf*) in recombinant *Escherichia coli*: examination of transport mechanism, kinetics and the role of glucokinase in glucose transport**
C. Parker, W. O. Barnell, J. L. Snoep, L. O. Ingram & T. Conway

803 **Characterization of the extracellular lipase, LipA, of *Acinetobacter calcoaceticus* BD413 and sequence analysis of the cloned structural gene**
R. G. Kok, J. J. van Thor, I. M. Nugteren-Roodzant, M. B. W. Brouwer, M. R. Egmond, C. B. Nudel, B. Vosman & K. J. Hellingwerf

819 **Differential DNA bending introduced by the *Pseudomonas putida* LysR-type regulator, CatR, at the plasmid-borne *pheBA* and chromosomal *catBC* promoters**
M. R. Parsek, M. Kivisaar & A. M. Chakrabarty

829 **Boundaries of the nicking region for the F plasmid transfer origin, *oriT***
Y. Luo, Q. Gao & R. C. Deonier

839 **Isolation of *Lactococcus lactis* nonsense suppressors and construction of a food-grade cloning vector**
F. Dickely, D. Nilsson, E. B. Hansen & E. Johansen

849 **The *fimA* locus of *Streptococcus parasanguis* encodes an ATP-binding membrane transport system**
J. C. Fenno, A. Shaikh, G. Spatafora & P. Fives-Taylor

865 **The tyrosine-6 hydroxyl of γδ resolvase is not required for the DNA cleavage and rejoining reactions**
A. E. Leschziner, M. R. Boocock & N. D. F. Grindley

871 **A novel chromatin-forming histone H1 homologue is encoded by a dispensable and growth-regulated gene in *Bordetella pertussis***
V. Scarlato, B. Aricò, S. Goyard, S. Ricci, R. Manetti, A. Prugnola, R. Manetti, P. Polverino-De-Laureto, A. Ullmann & R. Rappuoli

883 **Action of receiver and activator modules of UhpA in transcriptional control of the *Escherichia coli* sugar phosphate transport system**
C. A. Webber & R. J. Kadner

895 **Molecular cloning, expression in *Streptomyces lividans*, and analysis of a gene cluster from *Arthrobacter simplex* encoding 3-ketosteroid-Δ^1-dehydrogenase, 3-ketosteroid-Δ^5-isomerase and a hypothetical regulatory protein**
I. Molnár, K.-P. Choi, M. Yamashita and Y. Murooka

907 **Role of the conserved C-repeat region of the M protein of *Streptococcus pyogenes***
J. Perez-Casal, N. Okada, M. G. Caparon & J. R. Scott

917 **Molecular analysis of the *ams* operon required for exopolysaccharide synthesis of *Erwinia amylovora***
P. Bugert & K. Geider

935 **Sequence-specific DNA binding by NIT4, the pathway-specific regulatory protein that mediates nitrate induction in *Neurospora***
Y. H. Fu, B. Feng, S. Evans & G. A. Marzluf

943 **Small clusters of divergent amino acids surrounding the effector domain mediate the varied phenotypes of EF-G and LepA expression**
E. S. Yaskowiak & P. E. March

955 **Developmentally regulated expression of a *Giardia lamblia* cyst wall protein gene**
M. R. Mowatt, H. D. Luján, D. B. Cotten, B. Bowers, J. Yee, T. E. Nash & H. H. Stibbs

965 **The positively acting *amdA* gene of *Aspergillus nidulans* encodes a protein with two C2H2 zinc-finger motifs**
R. Lints, M. A. Davis and M. J. Hynes

977 **The *Escherichia coli* DnaK chaperone machine and bacteriophage Mu late transcription**
O. Sand, L. Desmet, A. Toussaint & M. Pato

MicroCorrespondence

985 **Hypothesis: transcriptional sensing and membrane-domain formation initiate chromosome replication in *Escherichia coli***
V. Norris

VOLUME 15 NUMBER 6

Research Articles

989 **Analysis of a chemotaxis operon in *Rhizobium meliloti***
M. Greck, J. Platzer, V. Sourjik & R. Schmitt

1001 **Interspecies recombination in nature: a meningococcus that has acquired a gonococcal PIB porin**
J. A. Vázquez, S. Berrón, M. O'Rourke, G. Carpenter, E. Feil, N. H. Smith & B. G. Spratt

1009 **Effect of *inhA* and *katG* on isoniazid resistance and virulence of *Mycobacterium bovis***
T. M. Wilson, G. W. De Lisle & D. M. Collins

1017 **Identification of an mRNA element promoting rate-limiting cleavage of the polycistronic *puf* mRNA in *Rhodobacter capsulatus* by an enzyme similar to RNase E**
J. Fritsch, R. Rothfuchs, R. Rauhut & G. Klug

1031 **F plasmid CcdB killer protein: *ccdB* gene mutants coding for non-cytotoxic proteins which retain their regulatory functions**
E. M. Bahassi, M. A. Salmon, L. Van Melderen, P. Bernard & M. Couturier

1039 **Molecular population genetic analysis of the *enn* subdivision of group A streptococcal *emm*-like genes: horizontal gene transfer and restricted variation among *enn* genes**
A. M. Whatmore, V. Kapur, J. M. Musser & M. A. Kehoe

1049 **Protein kinase-dependent HPr/CcpA interaction links glycolytic activity to carbon catabolite repression in Gram-positive bacteria**
J. Deutscher, E. Küster, U. Bergstedt, V. Charrier & W. Hillen

1055 **L5 luciferase reporter mycobacteriophages: a sensitive tool for the detection and assay of live mycobacteria**
G. J. Sarkis, W. R. Jacobs, Jr & G. F. Hatfull

1069 **Mutations in the chemotactic response regulator, CheY, that confer resistance to the phosphatase activity of CheZ**
M. G. Sanna, R. V. Swanson, R. B. Bourret & M. I. Simon

1081 **Iron regulation of siderophore biosynthesis and transport in *Pseudomonas putida* WCS358: involvement of a transcriptional activator and of the Fur protein**
V. Venturi, C. Ottevanger, M. Bracke & P. Weisbeek

1095 **The *hrp* gene locus of *Pseudomonas solanacearum*, which controls the production of a type III secretion system, encodes eight proteins related to components of the bacterial flagellar biogenesis complex**
F. Van Gijsegem, C. Gough, C. Zischek, E. Niqueux, M. Arlat, S. Genin, P. Barberis, S. German, P. Castello & C. Boucher

1115 **Repression of lipopolysaccharide biosynthesis in *Escherichia coli* by an antisense RNA of *Acetobacter methanolicus* phage Acm1**
U. Mamat, E. Th. Rietschel & G. Schmidt

1127 **Molecular genetics of a chromosomal locus involved in copper tolerance in *Escherichia coli* K-12**
S.-T. Fong, J. Camakaris & B. T. O. Lee

1139 **The biogenesis of *c*-type cytochromes in *Escherichia coli* requires a membrane-bound protein, DipZ, with a protein disulphide isomerase-like domain**
H. Crooke & J. Cole

1151 ***Treponema pallidum* in gel microdroplets: a novel strategy for investigation of treponemal molecular architecture**
D. L. Cox, D. R. Akins, S. F. Porcella, M. V. Norgard & J. D. Radolf

MicroCorrespondence

1165 **Identification of errors among database sequence entries and comparison of correct amino acid sequences for the heat-labile enterotoxins of *Escherichia coli* and *Vibrio cholerae***
M. Domenighini, M. Pizza, M. G. Jobling, R. K. Holmes and R. Rappuoli

Indexes

1169 **Keyword Index**
1173 **Author Index**